

Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) AN ISO 9001:2015 CERTIFIED COMPANY

VISUAL AND DIMENSIONS TEST REPORT

Test conduct Date JULY 10TH 2023

Client **VINPRA ENGINEERING INDIA**

PVT LTD

Drawing No. VP/1PC/TEBV/FLG/002

Test Item 50 NB Ball valve

Model No. & S.No. B12172 Material LG4C Heat No. 15723 :

Vernier Caliper 0 tov300 mm

Date of Calibrated 17.10.2022

Due date of calibration 16.10.2023

S.no	Parameter	Specification dimensions	Observed dimensions
1	Flange O.D	165mm	165mm
2	Flange I.D	50.8mm	50.78
3	Flang to Flange distance	178mm	177.85
4	Flange thick	17mm	17mm
5	Flange P C D	125 mm	125mm
6	No of holes	4	4
7	Hole DIA	18mm	18mm

B.V.A. RAVI KUMAR (Test Engineer)

GVK marine systems





Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) AN ISO 9001:2015 CERTIFIED COMPANY

FUNCTIONAL CHECKS (HYDRAULIC TEST)

Test conduct Date JULY 10[™] 2023

Client : VINPRA ENGINEERING INDIA PVT LTD

Drawing No. : VP/1PC/TEBV/FLG/002

Test Item : 50 NB Ball valve

Model No & SI No : B12172

Heat No. : 15723

Test Pressure for

Hydraulic Body : 15 bar

Test for time duration : 10 Min.

Pressure Gauge used : 0-21 Bar [Make WIKA]

Pressure Gauge Cert No. : PG 106 Date Of Calibrated 24-10-2022

Due Date : 23-10-2023

Test Result : No leakage found during Hydraulic Body Test

& found Satisfactory.

Note: AS PER BS 6755-PART RATE A





Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) AN ISO 9001:2015 CERTIFIED COMPANY

Static pressure Test (Body Assembly Test & Seat Leak test)

Test conduct Date JULY 10[™] 2023

Client : VINPRA ENGINEERING INDIA PVT LTD

Drawing No. : VP/1PC/TEBV/FLG/002

Test Item : 50 NB Ball valve

Model No & SI No : B12172

Heat No. : 15723

Body Assembly Test Pressure: 15 bar for 10 Min

Seat Leak Test : 11 bar for 10 Min

Test for time duration : 10 Min

Pressure Gauge used : 0-21 Bar [Make WIKA]

Pressure Gauge Cert No. : PG 106 Date Of Calibrated 24-10-2022

Due Date : 23-10-2023

Test Result : No leakage found during Hydraulic Body Test, seat leak

test and found Satisfactory.





Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) AN ISO 9001:2015 CERTIFIED COMPANY

Initial Torque test& Delay Torque test With loading condition

Test conduct Date JULY 10TH 2023

Client : VINPRA ENGINEERING INDIA PVT LTD

Drawing No. : VP/1PC/TEBV/FLG/002

Test Item : 50 NB Ball valve

Model No. & S.No. : B12172

Material : LG4C

Heat No. : 15723

Testing pressure : 10 bar

Initial Torque test before

Life cycle test : Initial torque 42 NM: (close to open the valve)

Delay torque : 6sec (valve closing time 31sec&valve opening

time25sec)

Torque wrench used : GTW-5, Serial No.16F-126, Make Grip Hold

Torque wrench. & DT : 12-11-2022

Due Date : 11-11-2023





Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) AN ISO 9001:2015 CERTIFIED COMPANY

PNEUMATIC TEST (AIR BUBBLE TEST)

Test conduct Date JULY 10TH 2023

Client : VINPRA ENGINEERING INDIA PVT LTD

Drawing No. : VP/1PC/TEBV/FLG/002

Test Item : 50 NB Ball valve

Model No & SI No : B12172

Heat No. : 15723

Pneumatic Pressure Test : 07 bar

Test for time duration : 10 Min.

Pressure Gauge used : 0-21 Bar [Make WIKA]

Pressure Gauge Cert No. : PG 106 Date Of Calibrated 24-10-2022

Due Date : 23-10-2023

Test Result : No leakage found during Pneumatic Test& found

Satisfactory





Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) AN ISO 9001:2015 CERTIFIED COMPANY

INITIAL TORQUE TEST& DELAY TORQUTEST WITH UN- LOADING CONDITION

Test conduct Date JULY 10[™] 2023

Client : VINPRA ENGINEERING INDIA PVT LTD

Drawing No. : VP/1PC/TEBV/FLG/002

Test Item : 50 NB Ball valve

Model No. & S.No. : B12172

Material : LG4C

Heat No. : 15723

Drawing No. : Mv-001-000-000 REV02

Initial Torque test before

Life cycle test : Initial torque 32NM: (close to open the valve)

Delay torque : 3 sec (valve closing time 21sec & valve opening

time 18sec)

Torque wrench used : GTW-5, Serial No.16F-126, Make Grip Hold

Torque wrench. & DT : 12-11-2022

Due Date : 11-11-2023





Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) AN ISO 9001:2015 CERTIFIED COMPANY

Cv - Flow Coefficient & Pressure Drop

Test conduct Date JULY 11TH 2023

Client : VINPRA ENGINEERING INDIA PVT LTD

Test Item : 65 NB Ball valve

Drawing No. : VP/1PC/TEBV/FLG/001

Model No. & Sl.No. : B12179

Material : LG4C

Heat No. : 13723

Pressure for valve upstream side : 6 PSI
Pressure for valve downstream side : 3.75PSI
Pressure Gauge used upstream side : 0-7-kg/cm²-

Pressure Gauge Cert No. & DT : PG-105 Date of Calibrated 10-09-2022

Due Date : 09-09-2023

Pressure Gauge used downstream side : 0-7kg/cm².

Pressure Gauge Cert No. & DT : PG 106 Date of Calibrated 10-08-2022

Due Date : 09-09-2023

Pressure drop : 1.25 psi

Type of Flow meter : ultrasonic

Model number : UFM 6720

Calibrated range : 4500gpm

Date of calibration : 18-11-2022

Next calibration date : 19-11-2023

Flow rate (Q) : 490Gpm

Cv flow coefficient : 438.2

Test Result : Satisfactory



Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) AN ISO 9001:2015 CERTIFIED COMPANY

C_V CALCULATIONS FOR 50 NB BUTTERFLY VALVE

$$C_{V} = Q \sqrt{\frac{sg}{\Delta p}} \qquad \dots \qquad (1)$$

CV = flow coefficient

q = Flow Rate gpm

sg = Density of fluid (water

sg = 1

 Δp = Pressure drop in bar

(P1 - P2)

P1 = Upstream pressure

P2 = Down Stream pressure

By the experimental values

q = 490gpm

P1 = 6psi

P2 = 4.75psi

 $\Delta p = 1.25 \text{ psi}$

Above values is substituent in equation (from (1))

cv = 490*0.8944

= 438.2

Table 1:-C_v and pressure drop values and CV Values

Type and size of the valve	Cv-flow coefficient as for the drawing	Cv-flow coefficient as for the experimental	Pressure drop as for the experimental	Flow rate as for the experimental Gpm
50 NB	430	438.2	1.25 PSI	490



Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) AN ISO 9001:2015 CERTIFIED COMPANY

25 Cycle TEST REPORT

Test conduct Date JULY 11[™] 2023

Client : VINPRA ENGINEERING INDIA PVT LTD

Drawing No. : VP/1PC/TEBV/FLG/002

Test Item : 50 NB Ball valve

Model No. & S.No. : B12172

Material : LG4C

Heat No. : 15723

Test Pressure for valve side : 10 bar (W.P)

Pressure Gauge used : 0-70 Bar Make WIKA

Pressure Gauge Cert No. & DT : PG 104Date Of Calibrated 20-10-22

Due Date : 19-10-2023





Plot No. 21, IDA Mallapur, IE Nacharam, Hyderabad-500076 (Specialized in Shock, Noise, Vibration Analysis & Measurements and valve testing for Marine Systems) **AN ISO 9001:2015 CERTIFIED COMPANY**

TEST REPORT **Anti-static test**

Test conduct Date JULY 10TH 2023

VINPRA ENGINEERING INDIA PVT LTD Client

Drawing No. VP/1PC/TEBV/FLG/002

Test Item 50 NB Ball valve

Model No. & S.No. B12172

Material LG4C

Heat No. 15723

NAME DIGITAL MULTI METER

Make **FLUKE**

Model FLUKE 101600V CAT III

Serial no 50230973WS

Date of calibrated 10/11/2023

Electrical resistance measured 0.2 ohm

Note:

As for the Standard the electrical resistance between the ball/disc and the valve body &between thestem/shaft and the valve body shall be measured using a DC power source not exceeding 12V.the resistance shall be measured on dry valves before pressure testing and shall not exceed 10ohm.

B.V.A.RAVI KUMAR (Test Engineer)

GVK marine systems